

To: Jamison - CDPHE, Doug[doug.jamison@state.co.us]
From: Way, Steven
Sent: Wed 9/9/2015 12:37:09 AM
Subject: Re: Silverton request from Steve Way

Doug - thanks for being willing to speak plainly! We're working up numbers and attempt to explain the likelihood of any negative consequences.
Also, an RFP went out for treatment companies and Alexco was one of them.

Thank you

Sent from my iPhone

On Sep 8, 2015, at 4:26 PM, Jamison - CDPHE, Doug <doug.jamison@state.co.us> wrote:

Hey Steve,
Some information that may or may not be useful. Frankly I think that treating water over the winter would be throwing good money after bad, but I don't get paid to make those decisions.

Doug Jamison

Superfund/Brownfields Unit Leader

State of Colorado, Dept. of Public Health and Environment

4300 Cherry Creek Drive South, Denver 80246

office: 303.692.3404 | fax: 303.691.7878

email: doug.jamison@state.co.us

----- Forwarded message -----

From: Apostolopoulos - CDPHE, Fonda <fonda.apostolopoulos@state.co.us>
Date: Tue, Sep 8, 2015 at 10:15 AM
Subject: Re: Silverton request from Steve Way
To: "Jamison - CDPHE, Doug" <doug.jamison@state.co.us>
Cc: "Rudolph - CDPHE, Mark" <mark.rudolph@state.co.us>, Mary Boardman - CDPHE <mary.boardman@state.co.us>, "wendy.naagle@state.co.us" <wendy.naagle@state.co.us>

Doug.
Have Steve call Joe Harrington at Alexco. He still has his batch plant we used at Globe.
Fonda

Joseph G. Harrington

VP – Business and Strategic Development

Alexco Environmental Group (US) Inc.

A member of the

Alexco Environmental Group

12150 East Briarwood Avenue, Suite 135

Centennial, CO 80112

720.883.6700 mobile

303.862.3927 office

303.862.3926 fax

joeharrington@alexcoresource.com

www.alexcoresource.com

On Tue, Sep 8, 2015 at 9:26 AM, Jamison - CDPHE, Doug <doug.jamison@state.co.us> wrote:

A temporary/package plant was installed at Globe and operated for a couple of years. Fonda can probably get you specific info and performance data.

Doug Jamison

Superfund/Brownfields Unit Leader

State of Colorado, Dept. of Public Health and Environment

4300 Cherry Creek Drive South, Denver 80246

office: 303.692.3404 | fax: 303.691.7878

email: doug.jamison@state.co.us

On Mon, Sep 7, 2015 at 9:50 AM, Rudolph - CDPHE, Mark <mark.rudolph@state.co.us> wrote:

It appears that EPA is purchasing or renting a package water treatment unit for the Gold King. Steve called me up last week and asked if we had any experience with packaged WTP's and our opinions on them, good/bad points, and insight or recommendations for them as they are going through the procurement of this. I

think if we do have anything for them we need to provide by middle of this week at latest. EPA already has three bids from contractors to bring up and start treating water there.

Mark Rudolph
Superfund, Brownfield's and Voluntary Cleanup
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246
mark.rudolph@state.co.us
office - [303-692-3311](tel:303-692-3311)
fax - [303-759-5355](tel:303-759-5355)
cell -[303-916-2179](tel:303-916-2179)

--
Mr. Fonda Apostolopoulos, P.E.
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, CO 80246

[303-692-3411](tel:303-692-3411)
Fonda.Apostolopoulos@State.co.us